


尼桑轩逸仪表盘 can 过滤器

Nissan Sylvan dashboard can filter



1: 记住原车的里程数，拆下仪表。

1: Remember the mileage of the original car, remove the dashboard.





2: 读取 25640 数据发送到售后，告知售后在仪表盘上显示的准确的里程值和你希望它是多少公里。

2: Read the 25640 data sent to the aftermarket, telling the aftermarket the exact mileage value displayed on the dashboard and how many kilometers you want it to be.

3: 将售后发送的 24c16 数据写入过滤器

(24c16), 25640 数据写入仪表盘(25640), 相应地短路 can 滤波开关(文件名上提到)。

3: Write 24c16 data sent after sale to the filter (24c16) and 25640 data to the dashboard (25640), and short-circuit the can filter switch (mentioned in the file name) accordingly.





4: 写好仪表 25640 数据之后焊回仪表盘，根据所提供的接线图焊接过滤器，焊接完成后将仪表盘安装到车上。

4: Solder the filter according to the wiring diagram provided, Install dash on to car after soldering is completed.



5:仪表盘安装到车上之后 0KM,上路跑 1km 就会成为你想要的里程数

5: When the dashboard is installed on the car, the dashboard shows 0KM, and after driving 1KM on the road, it will be the mileage you want.